

Google scholar

transaction authentication level

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations

[Create email alert](#)Results 1 - 10 of about **61,200**. (0.15 sec)**Authentication system and method for smart card transactions**

V Dao, R B Seidensticker... - US Patent 5,721,781, 1998 - Google Patents

... techniques, the messages and reject the smart card as fake before conducting any 10 between the terminal and smart card can now be sent over **transaction**. a communication path that is considered to be secure from Similarly, the application **level authentication** helps pre- the ...

[Cited by 400](#) - [Related articles](#) - [All 2 versions](#)**Automated transaction system with modular printhead having print authentication feature**

CB Wright... - US Patent 4,364,618, 1989 - Google Patents

... [45] Date of Patent: Sep. 5, 1989 [54] AUTOMATED **TRANSACTION** SYSTEM WITH MODULAR PRINthead HAVING PRINT **AUTHENTICATION** FEATURE [75] Inventors: Christopher B. Wright, San Francisco; Stephen Bristow, Los Altos Hills, both of Calif. ...

[Cited by 772](#) - [Related articles](#) - [All 2 versions](#)**Transaction authentication using a centrally generated transaction identifier**

M Goldfine, M Perlman... - US Patent 5,343,529, 1994 - Google Patents

... The authorization produces control of the **transaction** 56. FIG. 6 illustrates another **level** of security in which the information generator 57 includes a third transfor- mation/encryption means 58 for combining the first **authentication** code and the first user identifier. ...

[Cited by 123](#) - [Related articles](#) - [All 2 versions](#)**[PDF] Kerberos: An authentication service for open network systems**

JG Steiner, C Neuman... - Proc. Winter USENIX Conference, 1988 - Citeseer

... Our authenticated network file system uses this **level** of security. Other applications require **authentication** of each message, but do not care whether the content of the message is disclosed or not. For these, March 30, 1988 Page 4. -4- Kerberos provides safe messages. ...

[Cited by 1195](#) - [Related articles](#) - [View as HTML](#) - [All 310 versions](#)[\[PDF\] from csu.edu](#)**Transaction authentication for 1-way wireless financial messaging units**

WL Davis, GE Rason... - US Patent 6,105,006, 2000 - Google Patents

... over a wireless network and an alternate **transaction** origi- nation and **authentication** procedure. ... sub- scribe unit or pager when an inbound or outbound financial **transaction** is communicated ... 10 is a high **level** block diagram of a financial messaging unit in accordance with the ...

[Cited by 52](#) - [Related articles](#) - [All 2 versions](#)**Two-way authentication system between user's smart card and issuer-specific plug-in application modules in multi-issued transaction device**

JC Elliott, JA O'connell, L Ladouceur... - US Patent ..., 1991 - Google Patents

... may be included in a **transaction** terminal 10 10 to accommodate various **transaction** formats ... This infor- mation is arranged to be read electronically without **authentication** of the card terminal ... be provided primary keys, which are prefer- ably maintained at a higher **level** of security ...

[Cited by 218](#) - [Related articles](#) - [All 2 versions](#)**Log-on service providing credential level change without loss of session continuity**

DL Wood, P Weschler, D Norton, C Ferris... - US Patent ..., 2005 - Google Patents

... While it is 2 possible to field individualized security solutions for each information service or **transaction** system, individualized solutions ... a method for providing a persistent session interface thereto includes authenticating an entity to a first **authentication level** and associating a ...

[Cited by 160](#) - [Related articles](#) - [All 4 versions](#)**Single sign-on framework with trust-level mapping to authentication requirements**

DL Wood, D Norton, P Weschler, C Ferris... - US Patent ..., 2005 - Google Patents

... 4 Page 10. US 6,892, 307 BI 1 SINGLE SIGN-ON FRAMEWORK WITH TRUST-LEVEL MAPPING TO **AUTHENTICATION** REQUIREMENTS 5 BACKGROUND 1. Field ... Individual information service or **transaction** system typi- cally exhibit differing security requirements. ...

[Cited by 65](#) - [Related articles](#) - [All 2 versions](#)**[PDF] Knowledge based authentication (KBA) metrics**S Chokhani - KBA Symposium-Knowledge Based **Authentication**: Is it ... , 2004 - cs.cit.nist.gov

... subscriber prefers to KBA over credentials • KBA can be used for **transaction authentication** for levels 1 and 2 • Acceptability of KBA for **transaction authentication** at level 3 requires further discussions with NIST and e-**authentication** guideline authors Page 21. 21 Summary ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 16 versions](#)[\[PDF\] from nist.gov](#)**Electronic business transaction system with notarization database and means for conducting a notarization procedure**

N Takahashi, H Shiina, M Matsunawa... - US Patent ..., 2000 - Google Patents

... action partner site and conducts a notarization process for the contents of contract for the **transaction** to accumulate ... 11, 2000 Sheet 4 of 14 FIG.5 OPEN SALE 3 LOG-IN **AUTHENTICATION** RECEIVE SALE ... o O o o O o Q o O o CVJ O LL AUTHENTICA- TION **LEVEL** ABAA BBBC ...

[Cited by 40](#) - [Related articles](#) - [All 2 versions](#)